EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(("20030229900") or ("6631351") or ("6603488") or ("6300947")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/04 11:41
S1	600	(715/733).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:17
S2	664	(715/744).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/17 14:17
S3	211	(715/747).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:17
S4	30	(715/761).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:26
S5	1335	(715/764).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:17
S6	374	(715/765).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:17
S7	122	(S1 OR S2 OR S3 OR S5 OR S6) AND (multi$3 WITH (device OR appliance) WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/10 17:06
S8	36	(S1 OR S2 OR S3 OR S5 OR S6) AND (multi$3 WITH (device OR appliance) WITH interface WITH control$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/10 17:16

EAST Search History

S9	849	(multi$3 OR plurality OR different) WITH (device OR appliance) WITH (generic OR similar) WITH interface	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/10 17:17
S10	16	(multi$3 OR plurality OR different) WITH (appliance) WITH (generic OR similar) WITH interface	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/10 17:23
S11	2013	((select$3 NEAR3 interface) WITH (device OR appliance)) AND ((control$4 OR operat$3) WITH (multiple OR different OR plurality OR many) NEAR3 (device OR appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/10 17:27
S12	73	((select$3 NEAR3 interface) WITH (device OR appliance) WITH server) AND ((control$4 OR operat$3) WITH (multiple OR different OR plurality OR many) NEAR3 (device OR appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/10 18:06
S13	1	("6792323").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 18:03
S14	5	(("20030158956") or ("20050198185") or ("7136928") or ("20030018753") or ("20030093542")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 18:33
S15	6	(user WITH select$3 WITH (preference OR parameter) WITH interface WITH (device OR appliance)) AND (search$3 WITH interface WITH match$3 WITH (parameter OR preference))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 19:50
S16	554	(multiple OR plurality) WITH interface WITH appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 19:51
S17	2	((search$3 OR select$3) WITH (multiple OR plurality) WITH interface WITH appliance) AND (match$3 WITH (query OR criteria))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 19:53

EAST Search History

S18	293	(select$3 OR choos$3) WITH interface WITH match$3 WITH (query OR criteria OR ID OR identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 20:00
S19	33	(select$3 OR choos$3) WITH interface WITH match$3 WITH (query OR criteria OR ID OR identification) WITH (device OR appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 20:05
S20	162	(select$3 OR choos$3) WITH (interface OR (module NEAR3 (command OR input))) WITH based WITH (ID or identification OR profile OR log$on) WITH (device OR appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 20:11
S21	15	((select$3 OR choos$3) NEAR3 (interface OR (module NEAR3 (command OR input)))) WITH (based NEAR3 (ID or identification OR profile OR log$on)) WITH (device OR appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/12 20:12
S22	57	user NEAR3 select$4 NEAR3 (interface OR module) NEAR3 appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 14:05
S23	10	(download$3 NEAR3 interface) WITH (internet OR network OR web$4) WITH appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 14:53
S24	11	("6009330" | "6021324" | "6091956" | "6157945" | "6181952" | "6226367" | "6346891" | "6349203" | "6563430" | "6591112" | "6832083").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/04/16 14:53
S25	0	("6957075").URPN.	USPAT	AND	OFF	2007/04/16 14:53
S26	233	(download$3 NEAR3 interface) WITH (internet OR network OR web$4) WITH device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 14:53
S27	0	(download$3 NEAR3 interface) WITH (internet OR network OR web$4) WITH device WITH ("not" NEAR3 (present OR found OR stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 14:59

EAST Search History

S28	0	((download$3 OR retriev$3) NEAR3 interface) WITH (internet OR network OR web$4) WITH device WITH ("not" NEAR3 (present OR found OR stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 15:01
S29	0	((download$3 OR retriev$3) NEAR3 (device OR appliance) NEAR3 interface) WITH (internet OR network OR web$4) WITH ("not" NEAR3 (present OR found OR stored))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 15:02
S30	193	((download$3 OR retriev$3) NEAR3 (device OR appliance) NEAR3 interface) WITH (internet OR network OR web$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 15:02
S31	80	((download$3 OR retriev$3) NEAR2 (device OR appliance) NEAR2 interface) WITH (internet OR network OR web$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 15:02
S32	14	("5361336" | "5410535" | "5444642" | "5553245" | "5619709" | "5805442" | "5812394" | "5852722" | "5980078" | "6023698" | "6061603" | "6369838" | "6417870" | "6434572").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2007/04/16 17:59
S33	3	("6515683").URPN.	USPAT	AND	OFF	2007/04/16 18:15
S34	665	(715/744).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/16 18:19
S35	13	S34 AND (((download$3 OR retriev$3) NEAR3 interface) WITH (web$4 OR internet OR network))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 18:32
S36	4	(search$3 ADJ3 interface) WITH appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 18:47
S37	164	appliance WITH ((plurality OR multiple) NEAR3 interfaces)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 18:49

EAST Search History

S38	3	(appliance WITH ((plurality OR multiple) NEAR3 interfaces)) AND (search$3 WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 18:51
S39.	109	(retriev$3 WITH (device OR appliance) WITH interface WITH (online OR network OR internet)) AND (chang$3 WITH interface WITH (device OR appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 19:01
S40	2	(retriev$3 WITH (appliance) WITH interface WITH (online OR network OR internet)) AND (chang$3 WITH interface WITH (appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 20:15
S41	108	(retriev$3 WITH (device) WITH interface WITH (online OR network OR internet)) AND (chang$3 WITH interface WITH (device))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 12:03
S42	164	(user$selectable WITH interface WITH (appliance OR device))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 20:32
S43	57	(user$selectable NEAR3 interface) WITH (appliance OR device)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 20:33
S44	0	(user$selectable NEAR3 interface) WITH (appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 20:32
S45	0	(user$selectable ADJ interface) WITH (appliance OR device)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/16 20:33
S46	2543	(select$3 WITH (type NEAR3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 12:17
S47	28	(select$3 WITH (type NEAR3 interface)) AND (search$3 WITH interface) AND ((download$3 OR retriev$3) WITH interface WITH (online OR network OR web$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 12:05

EAST Search History

S48	8	(select$3 WITH (type NEAR3 interface) WITH appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 14:05
S49	18	generic WITH interface WITH appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 14:05
S50	0	generic WITH interface WITH household WITH device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 14:05
S51	0	generic WITH interface WITH household	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 14:05
S52	3	(select$3 WITH (type NEAR3 interface) WITH household)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 14:06
S53	666	(715/744).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/04/17 14:21
S54	38	S53 AND (select$4 ADJ2 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 15:55
S55	159	download$3 WITH (module OR interface) WITH appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 15:56
S56	76	(download$3 WITH (module OR interface) WITH appliance) AND (user WITH select$3 WITH (interface OR module))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 15:57
S57	22	(download$3 WITH (module OR interface) WITH appliance) AND (user WITH select$3 WITH (interface OR module) WITH appliance)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 16:48

S58	1133	intelligent WITH appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 16:48
S59	347	intelligent ADJ appliance	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 16:48
S60	2	(intelligent ADJ appliance) WITH ((chang$3 OR modify$3) WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 16:50
S61	11	((intelligent OR smart) ADJ (appliance OR device)) WITH ((chang$3 OR modify$3) WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:05
S62	236	((intelligent OR smart) ADJ (appliance OR device)) AND (download$3 WITH (module OR interface)) AND (select$4 WITH (interface OR module))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:07
S63	96	((intelligent OR smart) ADJ (appliance OR device)) AND (download$3 WITH (module OR interface)) AND (select$4 WITH (interface OR module)) AND (search$3 WITH (interface OR module))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:24
S64	1876	((download$3 OR retriev$3) WITH interface WITH location)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:26
S65	186	((download$3 OR retriev$3) WITH interface WITH (location NEAR3 user))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:26
S66	14	"715"/$ AND ((download$3 OR retriev$3) WITH interface WITH (location NEAR3 user))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:29

EAST Search History

S67	2	"715"/$ AND ((download$3 OR retriev$3) WITH (custom$4 OR associated) WITH interface WITH ((location OR position) NEAR3 user))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:31
S68	59	(track$3 WITH (location OR position) WITH user) AND ((chang$3 OR modify$3 OR customiz$3) WITH (((interface OR function) NEAR3 (appliance OR device)) WITH (location OR position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:33
S69	1	"715"/$ AND ((track$3 WITH (location OR position) WITH user) AND ((chang$3 OR modify$3 OR customiz$3) WITH (((interface OR function$5) NEAR3 (appliance OR device)) WITH (location OR position))))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:35
S70	6	S53 AND (interface WITH based WITH (user$2 NEAR3 (location OR position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:42
S71	0	((download$3 OR retriev$3) NEAR3 (control OR driver OR interface) NEAR3 (device OR appliance)) WITH ("not" NEAR3 (present OR found OR store$)) WITH local$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:45
S72	0	((download$3 OR retriev$3) NEAR3 (control OR driver OR interface)) WITH ("not" NEAR3 (present OR found OR store$)) WITH local$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:45
S73	0	((download$3 OR retriev$3 OR request$3) NEAR3 (control OR driver OR interface OR module)) WITH ("not" NEAR3 (present OR found OR store$ OR located))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:47
S74	0	((control OR driver OR interface OR module) NEAR3 (network OR internet OR web$4)) WITH ("not" NEAR3 (present OR found OR store$ OR located))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:49
S75	27	((control OR driver OR interface OR module) NEAR3 (network OR internet OR web$4)) WITH (("not" OR cannot) NEAR3 (present OR found OR store$ OR located))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 17:59

S76	2	((download$3 OR obtain$3 OR retriev$3 OR request$3) NEAR3 (control OR driver OR interface OR module) NEAR3 (network OR internet OR web$4)) WITH (("not" OR cannot) NEAR3 (present OR found OR store$ OR located))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 18:02
S77	124	((download$3 OR obtain$3 OR retriev$3 OR request$3) NEAR3 (control OR driver OR interface OR module) NEAR3 (network OR internet OR web$4)) AND (search$3 WITH (control OR driver OR interface OR module) WITH local$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 18:03
S78	66	((download$3 OR obtain$3 OR retriev$3 OR request$3) NEAR3 (control OR driver OR interface OR module) NEAR3 (network OR internet OR web$4)) AND ((search$3 NEAR3 (control OR driver OR interface OR module)) WITH local$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 18:41
S79	129	search$3 WITH local$2 WITH (online OR web OR internet) WITH (interface OR module)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 18:44
S80	11	search$3 WITH local$2 WITH (online OR web OR internet) WITH (specific OR select$2) WITH (interface OR module)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/17 18:45
S81	194	stor$3 WITH (appliance) WITH (interface OR driver OR module) WITH (web OR server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 15:38
S82	13	(stor$3 WITH (appliance) WITH (interface OR driver OR module) WITH (web OR server)) AND (((retriev$3 OR download$3) NEAR3 (interface OR driver OR module)) WITH (web OR server))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 15:30
S83	5	stor$3 WITH (household ADJ appliance) WITH (interface OR driver OR module) WITH (web OR server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 15:41

S84	178	(household ADJ appliance) AND ((generic OR common) WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 15:41
S85	155	(household ADJ appliance) AND ((generic OR common) WITH interface) AND (network OR web OR internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 15:43
S86	89.	(household ADJ appliance) AND ((generic OR common) NEAR2 interface) AND (network OR web OR internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 16:03
S87	93	(household ADJ appliance) AND ((generic OR common) NEAR2 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/04/18 16:03
S88	711	retriev$3 WITH (interface OR driver) WITH (network OR remot$2) WITH database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 12:01
S89	0	retriev$3 WITH (interface OR driver) WITH (network OR remot$2) WITH database WITH found WITH local$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 12:03
S90	27	retriev$3 WITH (interface OR driver) WITH (network OR remot$2) WITH database WITH stor$3 WITH local$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 12:08
S91	0	search$3 WITH (device NEAR3 interface) WITH (network OR remot$2) WITH database WITH stor$3 WITH local$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 12:10
S92	25	search$3 WITH (device NEAR3 interface) WITH (network OR remot$2) WITH database	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 15:04
S93	5956	(customiz$4 OR distinct OR various OR plurality OR multiple) WITH (user ADJ interface) WITH device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 15:05

EAST Search History

S94	549	((customiz$4 OR distinct OR various OR plurality OR multiple) WITH (user ADJ interface) WITH device) AND (search$3 WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 15:05
S95	123	((customiz$4 OR distinct OR various OR plurality OR multiple) WITH (user ADJ interface) WITH device) AND (search$3 WITH interface WITH (remot$2 OR network))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 15:06
S96	33	((customiz$4 OR distinct OR various OR plurality OR multiple) WITH (user ADJ interface) WITH device) AND (search$3 WITH interface WITH (remot$2 OR network) WITH database)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 15:23
S97	276	(715/745).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/01 15:23
S98	122	(715/746).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/01 15:24
S99	670	(715/744).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/01 15:25
S100	213	(715/747).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/01 15:25
S101	17	(S99 OR S97 OR S98 OR S100) AND (search$3 WITH database WITH interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/01 15:33
S102	8	(S99 OR S97 OR S98 OR S100) AND (search$3 WITH interface WITH device)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:16

S103	15	table WITH compatib$5 WITH "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 18:15
S104	9	(table WITH compatib$5 WITH (data ADJ format)) AND (device NEAR3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 18:10
S105	2	(table WITH compatib$5 WITH (data ADJ format)) AND "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 18:10
S106	20	table SAME (compatib$5 WITH "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:13
S107	0	(check$3 OR determin$3) WITH table WITH compatib$5 WITH (control ADJ interface) WITH device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:14
S108	0	(check$3 OR determin$3) WITH table WITH compatib$5 WITH (control NEAR3 interface) WITH device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:14
S109	4	(check$3 OR determin$3) WITH table WITH compatib$5 WITH interface WITH device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:15
S110	276	(715/745).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/02 19:17
S111	122	(715/746).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/02 19:17
S112	670	(715/744).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/02 19:17

EAST Search History

S11 3	213	(715/747).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/02 19:17
S11 4	46	(S112 OR S110 OR S111 OR S113) AND (compatib$5 WITH format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:18
S11 5	2	(S112 OR S110 OR S111 OR S113) AND ((compatib$5 WITH format) SAME table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:19
S11 6	1	(S112 OR S110 OR S111 OR S113) AND ((compatib$5 WITH format) SAME chart)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/02 19:22
S11 7	33	(S112 OR S110 OR S111 OR S113) AND (data WITH format WITH table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:20
S11 8	276	(715/745).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/03 11:20
S11 9	122	(715/746).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/03 11:20
S12 0	672	(715/744).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/03 11:20
S12 1	215	(715/747).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/05/03 11:20
S12 2	383	(S120 OR S118 OR S119 OR S121) AND (data WITH format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:21

EAST Search History

S12 3	174	(S120 OR S118 OR S119 OR S121) AND (data NEAR3 format) AND (interface WITH (device OR appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:25
S12 4	83	(S120 OR S118 OR S119 OR S121) AND (data NEAR3 format) AND (interface NEAR3 (device OR appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:25
S12 5	65	(S120 OR S118 OR S119 OR S121) AND (data NEAR3 format) AND (interface NEAR3 (device OR appliance)) AND (table OR chart)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:48
S12 6	1	(S120 OR S118 OR S119 OR S121) AND ((choos$3 OR select$3) WITH interface WITH (appliance OR device)) SAME (compatib$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:56
S12 7	0	(S120 OR S118 OR S119 OR S121) AND ((choos$3 OR select$3) NEAR3 (interface NEAR3 (appliance OR device))) SAME (compatib$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 11:57
S12 8	82	((choos$3 OR select$3) NEAR3 (interface NEAR3 (appliance OR device))) SAME (compatib$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 12:01
S12 9	0	(((choos$3 OR select$3) NEAR3 (interface NEAR3 (appliance OR device))) SAME compatib$5) AND (filter$3 WITH search$3 WITH format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 12:04
S13 0	5	((choos$3 OR select$3) NEAR3 (interface NEAR3 (appliance OR device))) AND (filter$3 WITH interface WITH format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 12:08
S13 1	5	((choos$3 OR select$3 OR search$3) NEAR3 (interface NEAR3 (appliance OR device))) AND (filter$3 WITH interface WITH format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 12:08
S13 2	1348	(compatible NEAR3 (interface OR module) NEAR3 (device OR appliance))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 12:18

EAST Search History

S133	630	(compatible NEAR3 (interface OR module) NEAR3 (device OR appliance)) AND table	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 12:19
S134	11	((search$3 OR select$3 OR choos$3) NEAR3 compatible NEAR3 (interface OR module) NEAR3 (device OR appliance)) AND table	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/03 16:00
S135	9	((device OR appliance) NEAR3 (send OR trasmit$4) NEAR3 interface) WITH ((second OR another OR seperate OR remote) NEAR3 (screen OR display))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/05/04 11:23